

**Section 1: IDENTIFICATION**

**1.1 PRODUCT IDENTIFIER**

**Rapid Repair:** Rapid Repair Part A

**1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON**

**USE Use:** Various.

**1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

**Name/Address:** Bullseye Products LLC  
3595 Polaris Ave  
Las Vegas, NV 89103

**Telephone Number: Office:** 302-231-2624

**1.4 EMERGENCY TELEPHONE NUMBER**

**Emergency Telephone Number:** 302-468-5086

**Section 2: HAZARD(S) IDENTIFICATION**

**2.1 CLASSIFICATION OF THE  
CHEMICAL**

**SIGNAL WORD: DANGER**

**2.2 Label Elements Hazard Pictogram**



**Hazard class**

**HAZARD CLASS**

**HAZARD CATEGORY**

FLAMMABLE LIQUIDS	CATEGORY 3
ACUTE TOXICITY	CATEGORY 4 INHALATION
SKIN CORROSION / IRRITATION	CATEGORY 2
SERIOUS EYE DAMAGE / EYE IRRITATION	CATEGORY 2 AND 2A
RESPIRATORY SENSITIZER	CATEGORY 1
SKIN SENSITIZER	CATEGORY 1
GERM CELL MUTAGENICITY	CATEGORY 1 (BOTH 1A AND 1B)
CARCINOGENICITY	CATEGORY 1 (BOTH 1A AND 1B)
TOXIC TO SPECIFIC TARGET ORGAN	CATEGORY 3
TOXICITY - SINGLE EXPOSURE	
TOXIC TO SPECIFIC TARGET ORGAN	
TOXICITY - REPEATED EXPOSURE	CATEGORY 1
ASPIRATION HAZARD	CATEGORY 1
HAZARDOUS TO THE AQUATIC	
ENVIRONMENT LONG-TERM (CHRONIC)	CHRONIC 2

**SAFETY DATA SHEET****HAZARD STATEMENTS:**

H227	Combustible liquid
H304	May be fatal if swallowed or enters airways H315 Causes skin irritation
H317	May cause allergic skin reaction
H319	Causes serious eye irritation.
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H340	May cause genetic defects
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects

**PRECAUTIONARY STATEMENTS: PREVENTION:**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understand.
P210	Keep away from heat/hot surfaces/sparks/open flames and other sources of ignition. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical / ventilation/lighting/handling equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharge.
P260	Do not breath dusts/fume/gas/mist/vapors or spray.
P264	Wash hands and any exposed area thoroughly after handling.
P271	Use only outdoors or in well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P281	Use appropriate personal protective impervious gloves/protective clothing/ OSHA approved eye protection/ face protection.
P285	In case of inadequate ventilation wear appropriate organic vapor respiratory protection.

**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS****RESPONSE:**

P301+P310	if swallowed: Immediately call a Poison Center / doctor.
P302+P352	If on skin: Wash with plenty of water.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower).
P304+P340	if inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice / attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P321	Specific treatment (see on this label)
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a Poison Center/doctor. P363 Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use carbon dioxide (CO2), powder, alcohol- resistant foam to extinguish.

**STORAGE:**



Rapid Repair Part A

SAFETY DATA SHEET

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

DISPOSAL:

P501 Store separately. Dispose of contents/ container in accordance with local/ regional/national /international regulations.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Table with 5 columns: 3.1 MIXTURES, Cas Num, Weight Percent, Exposure Limits, and sub-columns for Ingredient, Osha Pel, and Acgih TLV. Rows include +Trimethylbenzene and ++MDI Mixed Isomers.

+ Chemical(s) that are chronic health hazards. Refer to section 3 for further information.
++ Toxic chemical(s) subject of the reporting requirements of section 313 of Title III and of 40 CFR 372

Section 4: FIRST AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
Skin: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.
Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion: Do not induce vomiting. Immediately administer 1-2 glasses of water and contact a physician...

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production.
Skin: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Inhalation: May cause respiratory irritation.
Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

**SAFETY DATA SHEET****4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL****TREATMENTS NEEDED** Note to Physicians: Symptoms may not appear immediately.**Specific Treatments:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).**Section 5: FIRE-FIGHTING MEASURES****5.1 EXTINGUISHING MEDIA****Suitable Extinguishing Media:** Powder, water spray, foam, carbon dioxide.**Unsuitable Extinguishing Media:** Direct water spray.**5.2 SPECIAL HAZARDS ARISING FROM THE CHEMICAL****Products of Combustion:** May include, and are not limited to: oxides of carbon.**5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS**

Keep upwind of fire. Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

**Section 6: ACCIDENTAL RELEASE MEASURES****6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP****Methods for Containment:** Dike area to prevent spreading. Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).**Methods for Cleaning-Up:** Scoop up material and place in a disposal container.**Section 7: HANDLING AND STORAGE****7.1 PRECAUTIONS FOR SAFE HANDLING****Handling:** Avoid contact with skin and eyes. Do not swallow. Avoid breathing dust/fume/gas/mist/vapors/spray. Handle and open container with care. When using do not eat or drink. (See section 8)**General Hygiene Advice:** Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES****Storage:** Keep out of the reach of children. Keep containers closed when not in use. Do not store in an area equipped with emergency water sprinklers. (See section 10).**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 EXPOSURE CONTROLS****Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

## SAFETY DATA SHEET

### 8.2 INDIVIDUAL PROTECTIVE

#### MEASURES

##### Personal Protective

##### Equipment:

**Eye/Face Protection:** Safety glasses or goggles are recommended when using product.

**Hand Protection:** Butyl gloves.

**Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** Wear suitable respiratory equipment.

**General Health and Safety Measures:** Handle according to established industrial hygiene and safety practices. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Provide eye washes in workshops where the product is constantly handled.

---

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

---

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL

<b>PROPERTIES Appearance:</b>	Viscous
Liquid	
<b>Color:</b>	Various Colors
<b>Odor:</b>	Hydrocarbon
<b>Odor Threshold:</b>	Not available
<b>Physical State:</b>	Liquid
<b>pH:</b>	Not available
<b>Melting Point/Freezing Point:</b>	Not available
<b>Initial Boiling Point and Boiling Range:</b>	308°F
<b>Flash Point:</b>	Not available
<b>Evaporation Rate:</b>	Slower than nBuAc
<b>Flammability:</b>	Not Flammable
<b>Lower Flammability/Explosive Limit:</b>	Not available
<b>Upper Flammability/Explosive Limit:</b>	Not available
<b>Vapor Density:</b>	Not Available
<b>Relative Density/Specific Gravity:</b>	1.11
<b>Partition coefficient: n-octanol/water:</b>	Not available.
<b>Auto-ignition Temperature:</b>	Not available.
<b>Decomposition Temperature:</b>	Not available.
<b>Viscosity:</b>	Not available.
<b>Percent Volatile, wt. %:</b>	Not applicable.
<b>VOC content, wt. %:</b>	275 g/l.

---

### Section 10: STABILITY AND REACTIVITY

---

#### 10.1 REACTIVITY

**SAFETY DATA SHEET**

No dangerous reaction known under conditions of normal use.

**10.2 CHEMICAL STABILITY**

Stable under normal storage conditions.

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No dangerous reaction known under conditions of normal use.

**10.4 CONDITIONS TO AVOID**

All possible sources of ignition.

**10.5 INCOMPATIBLE MATERIALS**

Avoid exposure to strong oxidizing agents and reducing agents.

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

Uncontrolled exothermic reactions of epoxy resins release phenolics, carbon monoxide and water.

---

**Section 11: TOXICOLOGICAL INFORMATION**

---

**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

**Likely Routes of Exposure:** Skin contact, skin absorption, eye contact, inhalation, and ingestion.

**Symptoms related to physical/chemical/toxicological characteristics:**

**Eye:** Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. Contact with hot material can cause thermal burns.

**Skin:** Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause an allergic skin reaction. Contact with hot material can cause thermal burns.

**Ingestion:** May be harmful if swallowed.  
May cause stomach distress, nausea or vomiting.

**Inhalation:** May cause respiratory irritation

**11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE**

**Sensitization** As a result of previous repeated overexposures or a single large dose, certain individuals will develop isocyanate sensitization (chemical asthma) which will cause them to react to a later exposure to isocyanates at levels well below applicable exposure limits. These symptoms could be immediate or delayed several hours after exposure. This increased sensitivity can persist for weeks and in severe cases for several years.

**CARCINOGENICITY:** There is no data available to indicate any components present at greater than 0.1% may present a carcinogenic hazard.

**REPRODUCTIVE TOXICITY:** There is no data available to indicate any components present at greater than 0.1% may present reproductive toxicity.



## SAFETY DATA SHEET

**TERATOGENICITY (BIRTH DEFECTS):** There is no data available to indicate any components present at greater than 0.1% may cause birth defects.

**MUTAGENICITY:** There is no data to indicate that any component present at greater than 0.1% will alter DNA.

---

### Section 12: ECOLOGICAL INFORMATION

---

**12.1 ENVIRONMENTAL DATA:** Although no information is available for this specific product mixture, individual components may by themselves may have ecological affects. Trimethylbenzene is a marine pollutant under 49 CFR172.101.

---

### Section 13: DISPOSAL CONSIDERATIONS

---

#### 13.1 WASTE TREATMENT METHODS

This product is considered a RCRA hazardous waste due to the characteristic(s) of D001 (ignitability). Waste is subject to the land disposal restrictions in 40 CFR 268.40 and may require treatment standards. Consult state and local regulations to determine whether they are more stringent than the federal requirements.

Container contents should be completely used and containers empty prior to discarding. Container rinsate could be considered a RCRA hazardous waste and must be discarded in compliance with all applicable regulations. Larger empty containers, such as drums, should be returned to a professional drum reconditioner. To assure proper disposal of smaller empty containers, consult with state and local regulations and disposal authorities.

---

### Section 14: TRANSPORT INFORMATION

---

#### 14.1 Shipping Name

UN3082, Other regulated substances, liquid, n.o.s. (contains 4,4'-Diphenylmethane Diisocyanate(MDI)), 9, III

---

### Section 15: REGULATORY INFORMATION

---

#### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE CHEMICAL

All ingredients of this product are listed, or are excluded from listing, on the US Toxic Substances Control Act (TSCA) chemical substance inventory.

This product does contain a chemical(s) subject to the reporting requirements of SARA Title III, Section 313 (40CFR 372). See section 2.

#### STATE SPECIFIC REQUIREMENTS:

This product does not contain a chemical known to the state of California to cause cancer, birth defects or reproductive harm, subject to the requirements of California Proposition 65




Rapid Repair Part A  
**SAFETY DATA SHEET**

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

HMIS Classification:

Health	2
Flammability	2
Reactivity	1
Personal	1

NFPA Classification:



**Disclaimer:** The information on this Safety Data Sheet represents our current data and best opinion as to the proper use and handling of the product identified and described on this document under normal conditions. They are given without warranty or guarantee of any kind. Any use of the product which is not in conformance With this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. The user must read and follow instructions on this Safety Data Sheet, the Product Data Sheet and Product Labels prior to use of the product.

**Date of Preparation: 09/17/15**  
**Version: 1**  
**Date of Revision: 09/17/14**