

### **Section 1: IDENTIFICATION**

#### **PRODUCT IDENTIFIER**

0387 Sub-Zero Liquid Ice Melt

#### RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Deicing/anti-icing highways, bridges, parking lots, and other pavements.

Details of the supplier of the safety data sheet

BULLSEYE PRODUCTS LLC 717 N UNION ST #83 WILMINGTON DE, 19805 (302) 468-5086

24 Hr Emergency telephone number INFOTRAC: 800-535-5053 (North America)

352-323-3500 (International)

#### Section 2: HAZARD(S) IDENTIFICATION

#### **CLASSIFICATION ACCORDING TO OSHA HAZCOM 2012**

Hazard Class Not classified as hazardous

#### LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

There are no OSHA required label elements for this product.

### **CLASSIFICATION ACCORDING TO WHMIS (Canada)**

Hazard ClassNot controlledWHMIS Hazard SymbolsNot applicableWHMIS Signal WordNot applicable

#### **POTENTIAL HEALTH EFFECTS**

**Eye Contact** May cause temporary eye irritation. Corneal injury is unlikely. **Skin Contact** Repeated contact may cause slight skin irritation or dry skin.

**Inhalation** May cause irritation or coughing.

**Ingestion** Ingestion of large quantities may cause nausea, vomiting, diarrhea and

abdominal discomfort.

**Effects of repeated exposure** No effects other than described above are expected.



# Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

#### **MIXTURES**

Ingredient	CAS No	Wt. %
Acetate Mixture	Mixture	<60
Water	7732-18-5	<50
Corrosion Inhibitors		< 1

### **Section 4: FIRST- AID MEASURES**

**DESCRIPTION OF FIRST AID MEASURE** 

Eye In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If easy to do, remove contact lenses, if worn. If irritation persists, seek

medical attention.

**Skin** As a precaution, wash skin thoroughly with soap and water. Remove and wash

contaminated clothing.

**Inhalation** If inhaled, remove to fresh air and get medical advice

**Ingestion** If swallowed, give milk or water to drink and telephone for medical advice. Do

NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person.

**MOST IMPORTANT SYMPTOMS / EFFECTS** 

Eye May cause eye irritation. Symptoms may include temporary discomfort or pain,

excess blinking and tear production, with possible redness and swelling.

**Skin** May cause itching or irritation of any cut or abraded skin. Symptoms of

prolonged contact may include dry skin.

**Inhalation** Inhalation of aerosol during spraying may cause respiratory tract irritation and

coughing. This product is not otherwise expected to be an inhalation hazard.

**Ingestion** Ingestion of large quantities may cause nausea, vomiting, diarrhea and

abdominal discomfort.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

Note to physicians This product contains potassium acetate. Though ingestion of large amounts of

potassium salts usually results in vomiting, excessive potassium absorption can

cause hyperkalemia.

**Specific treatments** If you feel unwell, seek medical advice immediately. Show the label or safety

data sheet to medical personnel if possible.



### **Section 5: FIRE FIGHTING MEASURES**

**FLAMMABILITY** 

Flash Point (close cup) Nonflammable by OSHA/WHMIS criteria

Auto Ignition Not applicable

**EXTINGUISHING MEDIA** 

Suitable Extinguishing Media Water, carbon dioxide, or dry chemical. Use extinguishing media appropriate

for surrounding materials.

Unsuitable Extinguishing Media Not applicable

**SPECIAL HAZARDS** 

Hazardous Combustion Products Normal combustion forms carbon dioxide and water.

**Explosion Limits** Data not available. Not considered to be an explosion hazard.

Unusual Fire Hazards None expected

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Wear NIOSH approved self-contained breathing apparatus (SCBA) with

**Firefighters** positive air pressure.

### Section 6: ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

Avoid eye/skin contact with spilled material. Refer to Section 7 for additional handling precautions

Methods for Containment Contain and/or absorb spill with inert material (e.g. sawdust, sand,

vermiculite).

Methods for Cleaning-Up Scoop up material and transfer to disposal container. If needed, wash

spillage area with plenty of water.

# **Section 7: HANDLING AND STORAGE**

#### PRECAUTIONS FOR SAFE HANDLING

**Handling** Avoid eye contact. Avoid breathing mist when spraying.

# PRECAUTIONS FOR SAFE STORAGE, INCLUDING ANY COMPATIBILITIES

**Storage** Store in tightly sealed original containers, away from direct heat and strong

oxidizing agents. Do not store or handle product in systems constructed of wetted parts consisting of galvanized steel, zinc, or brass components.



### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**EXPOSURE LIMITS** 

**Exposure Limits** No specific limits have been established for this product.

**EXPOSURE CONTROLS** 

**Engineering Controls**No special ventilation is usually necessary; however if operating conditions

create high airborne concentrations of this material, special ventilation may be needed to keep exposure to airborne contaminants below the exposure limit.

INDIVIDUAL PROTECTIVE MEASURES/PERSONAL PROTECTIVE EQUIPMENT

**Eye Protection** Safety glasses or goggles are recommended if splashing/spraying is possible.

**Skin Protection** No special skin protection is usually necessary. Chemical-resistant gloves and

clothing should be used if prolonged exposure is possible to prevent drying of

skin.

**Respiratory Protection** No special respiratory protection is usually necessary. Breathing of mist/aerosol

should be avoided. If operating conditions create high airborne concentrations

of this material, the use of an approved respirator is recommended.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear, colorless to light straw colored liquid. (May be
	dyed blue at customer request.)
ODOR	Odorless to slight vinegar odor
ODOR THRESHOLD	No data available
pH (20°C, 68°F)	7.0 – 11.5
FREEZING POINT	-60°C (-76°F)
BOILING POINT	~ 110°C (230°F)
FLASH POINT	Not applicable
EVAPORATION RATE	No data available
FLAMMABILITY/EXPLOSION LIMITS	Not applicable
VAPOR PRESSURE (20°C)	15 mm Hg
VAPOR DENSITY (AIR = 1)	No data available
RELATIVE DENSITY	1.28
SOLUBILITY IN WATER	Completely miscible
PARTITION COEFFICIENT; n-OCTANOL/WATER	No data available
AUTO-IGNITION TEMPERATURE	No data available
DECOMPOSITION TEMPERATURE	No data available
VISCOSITY (20°C)	6.5 cP
OXIDIZING PROPERTIES	Not oxidizing
EXPLOSIVE PROPERTIES	Not explosive



### Section 10: STABILITY AND REACTIVITY

#### **REACTIVITY**

No dangerous reactions known under conditions of normal use.

#### **CHEMICAL STABILITY**

Stable. Polymerization will not occur.

# **POSSIBILITY OF HAZARDOUS REACTIONS**

No dangerous reactions known under conditions of normal use.

#### **CONDITIONS TO AVOID**

Avoid prolonged contact with reactive metals such as magnesium and zinc, especially in closed systems where hydrogen gas from the oxidation of these materials may accumulate over time.

#### **INCOMPATIBLE MATERIALS**

Strong oxidizing agents; strong acids.

# **HAZARDOUS DECOMPOSITION PRODUCTS**

May decompose into oxides of carbon.

### Section 11: TOXICOLOGICAL INFORMATION

### **ACUTE TOXICITY**

LD50 rat-oral: > 5 g/kg.

### LIKELY ROUTES OF EXPOSURE

Skin contact, eye contact, ingestion.

# SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL, AND TOXICOLOGICAL CHARACTERISTICS

Eye May cause eye irritation. Symptoms may include temporary discomfort or pain,

excess blinking and tear production, with possible redness and swelling.

**Skin** May cause itching or irritation of any cut or abraded skin. Symptoms of

prolonged contact may include dry skin.

**Inhalation** Inhalation of aerosol during spraying may cause respiratory tract irritation and

coughing. This product is not otherwise expected to be an inhalation hazard.

**Ingestion** Ingestion of large quantities may cause nausea, vomiting, diarrhea and

abdominal discomfort.

# DELAYED AND IMMEDIATE EFFECTS AND CHRONIC EFFECTS FROM SHORT- AND LONG-TERM EXPOSURE/NUMERICAL MEASURES OF TOXICITY

Skin Corrosion/Irritation
Serious Eye Damage/Irritation
Respiratory or Skin Sensitization
Germ Cell Mutagenicity

Carcinogenicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

This product does not contain any ingredients that are considered to be

carcinogens by IARC, NTP, or OSHA.

Updated 7/19/2018



Reproductive Toxicity STOT-Single Exposure STOT-Repeated Exposure Aspiration Hazard Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

# **Section 12: ECOLOGICAL INFORMATION**

# **ECOTOXICITY (AQUATIC AND TERRESTRIAL)**

Not expected to cause long-term adverse effects in the aquatic or terrestrial environments.

### PERSISTENCE AND DEGRADABILITY

Readily biodegradable. COD (TOD): 0.34 g O₂/g deicer; BOD₅ (20°C): 0.25 g O₂/g deicer

#### **BIOACCUMULATIVE POTENTIAL**

Bioaccumulation is not expected.

### **MOBILITY IN SOIL**

Adverse effects not expected.

#### **OTHER ADVERSE EFFECTS**

None expected.

# **Section 13: DISPOSAL CONSIDERATIONS**

### WASTE TREATMENT AND METHODS OF DISPOSAL

Based on available information, this product is neither listed as a hazardous waste nor does it exhibit any of the characteristics that would cause it to be classified as a characterized hazardous waste under RCRA. This product may be absorbed onto suitable materials and disposed of in a sanitary landfill unless local, state, or provincial regulations prohibit such disposal.

# **Section 14: TRANSPORT INFORMATION**

### TRANSPORT INFORMATION

Not regulated as dangerous goods per US DOT or IATA.



### **Section 15: REGULATORY INFORMATION**

#### **INVENTORY LISTS**

All of the components in this product are on the following inventory lists: USA (TSCA), Canada (DSL/NDSL); Europe (EINECS)

### **TSCA SECTION 12(b)**

None of the chemicals in this product are listed under TSCA Section 12(b).

#### **CERCLA HAZARDOUS SUBSTANCES**

There is no CERCLA Reportable Quantity for this material.

#### **SARA 311 CATEGORIES**

Immediate (Acute) Health Hazard:YesDelayed (Chronic) Health Hazard:NoFire Hazard:NoSudden Release of Pressure Hazard:NoReactivity Hazard:No

#### **SARA 313**

None of the components in this product are subject to reporting under SARA Section 313.

### **CLEAN WATER ACT**

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

#### **STATE RIGHT-TO-KNOW:**

This product does not contain components at levels which are required to be reported under the statutes of the following states: PA, MA, MN, and NJ.

This product does not contain materials known to the State of California (Proposition 65) to cause cancer and/or reproductive harm at levels which would require a warning under the statute.

NFPA 704		
Health		1
Fire		0
Physical Hazard		0
	Hazard Rating 0-4	0-least hazardous; 4-most hazardous

HMIS – Hazardous Materials Identification System		
Health	1	
Fire	0	
Physical Hazard	0	
Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = serious, 4 = severe		



# **Section 16: OTHER INFORMATION**

**Date:** August 22, 2018 Revision or New: New Date of Revision: NA Reason for Revision: NA

### **Disclaimer:**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**